IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A polymer dispersion wherein the components of a physical mixture comprising:

(i) at least one an unsaturated silane of the general formula (I)

$$[H_2C=CX(Y)_n]Si(CH_3)_p(R)_{3-p}$$
 (I),

wherein X is a hydrogen atom or a methyl group, Y is a divlent divalent group selected from -CH₂- and -C(O)O-(CH₂)₃-, n is 0 or 1, R is an alkoxy group selected from methoxy, ethoxy, n-propoxy, isopropoxy, n-butoxy, <u>isobutoxy</u> iobutoxy, and 2-methoxyethoxy, and p is 0 or 1,

and

(ii) at least one an organosilane of the general formula (II),

$$R^{1}Si(CH_{3})_{q}(R^{2})_{3-q}$$
 (II),

wherein R¹ is a linear, branched or cyclic alkyl group having 1 to 18 carbon atoms or is an aryl group or is a polyether group, R² is an alkoxy group selected from methoxy, ethoxy, n-propoxy, isopropoxy, n-butoxy, isobutoxy and 2-methoxyethoxy, and q is 0 or 1,

and/or optionally at least one (iii) a silicic ester of the general formula (III)

$$Si(R^3)_4$$
 (III),

wherein groups R³ are identical or different and R³ is an alkoxy group selected from methoxy, ethoxy, n-propoxy, isopropoxy, n-butoxy and isobutoxy,

are incorporated into the framework of the polymer

a monomer,

a surfactant, and

water;

wherein the weight ratio of the monomer to the water is from 40:60 to 55:45, wherein the water has a surfactant content of from 8.8% to 15% by weight of the water,

wherein the amount of the components (i) and (ii) ranges from 0.2 to 1.5% by weight, based on the weight of the monomer, and

wherein components (i) and (ii), the monomer, and optionally the component (iii), are incorporated into a polymer by polymerization.

Claim 2 (Currently Amended): [[The]] A process for preparing [[a]] the polymer dispersion as claimed in claim 1, comprising:

mixing at least one the monomer and components (i) and (ii) to form a mixture,

dispersing the mixture <u>the</u> in surfactant-<u>containing</u>comprising water, and carrying out [[the]] <u>a</u> polymerization.

Claim 3 (Canceled).

Claim 4 (Previously Presented): The process as claimed in claim 2, wherein component (i) is used in a weight ratio to component (ii) of from 99.9:0.1 to 0.1:99.9.

Claim 5 (Currently Amended): The process as claimed in claim 2, wherein [[an]] the unsaturated silane is selected from

vinyltrimethoxysilane,

vinyltriethoxysilane,

vinyltri(2-methoxyethoxy)silane,

vinylmethyldimethoxysilane,

vinylmethyldiethoxysilane,

3-acryloyloxpropyltrimethoxysilane,

3-acryloyloxypropyltriethoxysilane,

3-acryloyloxypropylmethyldimethoxysilane,

3-acryloyloxpropylmethyldiethoxysilane,

3-methacryloyloxypropyl-trimethoxysilane,

3-methacryloyloxypropyltriethoxysilane,

3-methacryloyloxypropylmethyldimethoxysilane,

3-methacryloyloxypropylmethyldiethoxysilane or a mixture of two or more of the aforementioned silanes is used as component (i).

Claim 6 (Currently Amended): The process as claimed in claim 2,

wherein

[[an]] the organosilane is selected from

methyltrimethoxysilane,

n-propyltrimethoxysilane,

n-propyltriethoxysilane,

n-propyltri(2-methoxyethoxy)silane,

isobutyltrimethoxysilane,

isobutyltriethoxysilane,

n-hexytrimethoxysilane,

n-octyltrimethoxyilane,

n-octyltriethoxysilane,

Application No. 10/566,371 Reply to Office Action of March 13, 2009

n-octyltri(2-methoxyethoxy)silane,

isooctyltrimethoxysilane,

isooctyltriethoxysilane,

n-hexadecyltrimethoxysilane,

phenyltrimethoxysilane,

phenyltriethoxysilane,

tetraethoxysilane,

alkyl polyglycol propyltrimethoxysilane or a mixture of two or more of the aforementioned silanes is used as component (ii).

Claim 7 (Currently Amended): The process as claimed in claim 2,

wherein

a precursor stage of a polymer selected from <u>a polyacrylate polyacrylates</u>, <u>a</u>

<u>polymethacrylate</u>, <u>a polystyrene acrylate</u>, <u>a polyvinylacrylate</u>, <u>a polyvinyl alcohol</u>, <u>and a</u>

<u>polyvinyl acetate polymethacrylates</u>, <u>polystyrene acrylates</u>, <u>polyvinyl alcohols</u>, <u>and polyvinyl acetates</u> is used as [[a]] <u>the</u> monomer.

Claim 8 (Currently Amended): [[The]] A polymer dispersion obtainable obtained by the process as claimed in claim 2.

Claim 9 (Canceled).

Claim 10 (Currently Amended): A method for preparing an adhesive, or a sealant, or an ink or a paint, comprising:

adding the polymer dispersion of claim 1 [[in]] to a concrete primer.

Claim 11 (Previously Presented): An article comprising: the polymer dispersion of claim 1.

Claim 12 (New): The polymer dispersion of claim 1, wherein the monomer is selected from methyl methacrylate, butyl acrylate, butyl methacrylate, acrylic acid, vinyl alcohol, vinyl acetate or a mixture of at least two of the aforementioned monomers.

Claim 13 (New): The polymer dispersion of claim 1, wherein the unsaturated silane of the general formula (I) is vinyltriethoxysilane and the organosilane of the general formula (II) is n-propyltriethoxysilane.

Claim 14 (New): The polymer dispersion of claim 1, further comprising the silicic ester of the general formula (III).

Claim 15 (New): The process of claim 7, wherein a precursor stage of a polyacrylate is used as the monomer.

Claim 16 (New): The process of claim 7, wherein a precursor stage of a polymethacrylate is used as the monomer.

Claim 17 (New): The process of claim 7, wherein a precursor stage of a polystyrene acrylate is used as the monomer.

Application No. 10/566,371 Reply to Office Action of March 13, 2009

Claim 18 (New): The process of claim 7, wherein a precursor stage of a polyvinylacrylate is used as the monomer.

Claim 19 (New): The process of claim 7, wherein a precursor stage of a polyvinyl alcohol is used as the monomer.

Claim 20 (New): The process of claim 7, wherein a precursor stage of a polyvinyl acetate is used as the monomer.